

L Number	Hits	Search Text	DB	Time stamp
-	44451	profil\$5.ti. and @ad<=19990128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 15:33
-	125	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 20:11
-	2	((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction)) and (instruction adj pipeline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 10:22
-	1	("3544969").PN.	USPAT	2003/06/10 10:22
-	1	("3781823").PN.	USPAT	2003/06/10 10:23
-	1	("4084235").PN.	USPAT	2003/06/10 10:23
-	1	("4455602").PN.	USPAT	2003/06/10 10:23
-	1	("4575797").PN.	USPAT	2003/06/10 10:23
-	1	("5542109").PN.	USPAT	2003/06/10 10:24
-	1	("5638525").PN.	USPAT	2003/06/10 10:24
-	1	("5796939").PN.	USPAT	2003/06/10 10:24
-	1	("5802272").PN.	USPAT	2003/06/10 10:24
-	1	("5802373").PN.	USPAT	2003/06/10 10:25
-	1	("5822578").PN.	USPAT	2003/06/10 10:25
-	1	("5832205").PN.	USPAT	2003/06/10 10:25
-	1	("5842017").PN.	USPAT	2003/06/10 10:25
-	1	("5930509").PN.	USPAT	2003/06/10 10:25
-	1	("5949415").PN.	USPAT	2003/06/10 10:26
-	1	("5958047").PN.	USPAT	2003/06/10 10:26
-	1	("6000028").PN.	USPAT	2003/06/10 10:26
-	1	("6091897").PN.	USPAT	2003/06/10 10:26
-	18	(US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2003/06/10 13:06
-	12	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and compiler	USPAT	2003/06/10 13:25

-	8	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (execut\$4 with profil\$5)	USPAT	2003/06/10 13:25
-	0	profil\$5.ti. and @ad<=19990128 and (without adj compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/06/10 15:34
-	18	(US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2003/06/10 16:55
-	9	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and profil\$4	USPAT	2003/06/10 17:15
-	18	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (stor\$4 or sav\$4 or memory or source or destination or (control adj flow) or event or diverg\$4 or sequen\$5)	USPAT	2003/06/10 17:26
-	17	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (sequen\$5)	USPAT	2003/06/10 17:29
-	18	(US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2003/06/10 20:08

-	3	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and timer	USPAT	2003/06/10 20:08
-	30	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 20:15
-	12	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and (timer same event)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 20:12
-	0	((US-6000028-\$).did.) and time\$1stamp	USPAT	2003/06/10 20:15
-	2	((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer) and time\$1stamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 20:16
-	20	(US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2003/06/11 13:21
-	15	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first or second) with (processor or CPU or multi\$1processor))	USPAT	2003/06/11 13:22
-	12	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) with (processor or CPU or multi\$1processor))	USPAT	2003/06/11 14:21

-	0	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) adj (processor or CPU or multi\$lprocessor))	USPAT	2003/06/11 13:24
-	787	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor	USPAT	2003/06/11 14:30
-	214	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and pipelin\$4	USPAT	2003/06/11 14:45
-	7	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and pipelin\$4) and profil\$4	USPAT	2003/06/11 14:33
-	52	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and ((instruction data) adj pipelin\$4)	USPAT	2003/06/11 14:45
-	1	(US-6000028-\$).did.	USPAT	2004/01/05 17:24
-	1	((US-6000028-\$).did.) and (pipeline memory queue list)	USPAT	2004/01/06 15:07
-	0	((US-6000028-\$).did.) and (hardware and software)	USPAT	2004/01/06 15:07
-	1	((US-6000028-\$).did.) and (hardware software)	USPAT	2004/01/06 16:15
-	47	identif\$4 with instruction with text with execut\$4	USPAT	2004/01/07 11:26
-	4	(identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls.	USPAT	2004/01/07 11:27
-	4	((identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls.) and @ad<=19990128	USPAT	2004/01/07 11:29
-	35	(identif\$4 with instruction with text with execut\$4) and @ad<=19990128	USPAT	2004/01/07 12:35
-	1	(identif\$4 with instruction with text with execut\$4 with page) and @ad<=19990128	USPAT	2004/01/07 12:36
-	193	(instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128	USPAT	2004/01/07 12:48
-	9	((instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128) and 709/1-108.ccls.	USPAT	2004/01/07 12:47
-	0	(instruction with sequential\$4 with adjacent) and 709/1-108.ccls.	USPAT	2004/01/07 12:47
-	80	instruction with sequential\$4 with adjacent	USPAT	2004/01/07 12:50
-	68	(instruction with sequential\$4 with adjacent) and @ad<=19990128	USPAT	2004/01/07 13:26
-	5	((instruction with sequential\$4 with adjacent) and @ad<=19990128) and profil\$4	USPAT	2004/01/07 12:49
-	14	instruction with sequential\$4 with adjacent with address	USPAT	2004/01/07 12:50
-	12	(instruction with sequential\$4 with adjacent with address) and @ad<=19990128	USPAT	2004/01/07 13:19
-	10	(profile adj circuitry) and @ad<=19990128	USPAT	2004/01/07 13:19
-	218945	profil\$4 and @ad<=19990128	USPAT	2004/01/07 13:19
-	191	(profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))	USPAT	2004/01/07 13:23

-	14	((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range))	USPAT	2004/01/07 13:23
-	2	((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range) with every)	USPAT	2004/01/07 13:23
-	3	(profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries) with (complet\$4 finish\$4))	USPAT	2004/01/07 13:25
-	0	(profil\$4 and @ad<=19990128) and (address adj range adj complet\$4)	USPAT	2004/01/07 13:25
-	1	address adj range adj complet\$4	USPAT	2004/01/07 13:26
-	3146	(record\$4 sav\$4 stor\$4) with every with address	USPAT	2004/01/07 13:27
-	1	(address adj range adj complet\$4) and @ad<=19990128	USPAT	2004/01/07 13:40
-	437	((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128	USPAT	2004/01/07 13:42
-	19	((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128) and profil\$4	USPAT	2004/01/07 13:43
-	16	((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128	USPAT	2004/01/07 13:42
-	0	((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128) and profil\$4	USPAT	2004/01/07 13:43